

L Number	Hits	Search Text	DB	Time stamp
3	19	Ralf near wolleschensky	USPAT; US-PGPUB; DERWENT	2003/11/05 10:07
4	39	Ralf near wolleschensky	EPO; JPO	2003/11/05 10:08
5	1	(Ralf near wolleschensky) and threshold	EPO; JPO	2003/11/05 10:19
6	14	gunter near moehler	EPO; JPO	2003/11/05 10:19
7	10	gunter near moehler	USPAT; US-PGPUB; DERWENT	2003/11/05 10:19
8	6	(gunter near moehler) and threshold	USPAT; US-PGPUB; DERWENT	2003/11/05 10:19
9	548	(356/326).CCLS.	USPAT; US-PGPUB; DERWENT	2003/11/05 11:05
10	44	((356/326).CCLS.) and threshold	USPAT; US-PGPUB; DERWENT	2003/11/05 10:39
11	1	(single or one) near radiation near hit same (detect\$ photod\$)	USPAT; US-PGPUB; DERWENT	2003/11/05 11:05
12	7034	(single or one) near scan\$ same (detect\$ photod\$)	USPAT; US-PGPUB; DERWENT	2003/11/05 11:08
13	12	((356/326).CCLS.) and ((single or one) near scan\$ same (detect\$ photod\$))	USPAT; US-PGPUB; DERWENT	2003/11/05 11:05
14	4	(single or one) near illumination near2 scan\$ same (detect\$ photod\$)	USPAT; US-PGPUB; DERWENT	2003/11/05 11:09
-	4039	carl near zeiss	USPAT; US-PGPUB; DERWENT	2003/02/12 14:47
-	2176	carl near zeiss near jena	USPAT; US-PGPUB; DERWENT	2003/02/12 14:48
-	19	(carl near zeiss near jena) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/12 15:11
-	1	(carl near zeiss near jena) and wiederhoeft	USPAT; US-PGPUB; DERWENT	2003/02/12 15:21
-	839	laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/12 15:22
-	27	(laser near scanning near microscope) and detection near3 channels	USPAT; US-PGPUB; DERWENT	2003/02/12 15:22
-	2	((laser near scanning near microscope) and detection near3 channels) and (upper or lower) near3 limit\$3	USPAT; US-PGPUB; DERWENT	2003/02/12 15:37
-	189	(laser near scanning near microscope) and channels	USPAT; US-PGPUB; DERWENT	2003/02/12 15:37
-	122	((laser near scanning near microscope) and channels) and fluoresc\$5	USPAT; US-PGPUB; DERWENT	2003/02/12 15:37
-	99	((((laser near scanning near microscope) and channels) and fluoresc\$5) and (detector or photod\$7))	USPAT; US-PGPUB; DERWENT	2003/02/12 15:39
-	38	((356/\$) or (250/\$)).CCLS.) and (((laser near scanning near microscope) and channels) and fluoresc\$5) and (detector or photod\$7))	USPAT; US-PGPUB; DERWENT	2003/11/05 10:27
-	0	20020079436.URPN.	USPAT	2003/02/13 09:38
-	102120	((("356") or ("250")).CLAS.	USPAT; US-PGPUB; DERWENT	2003/02/13 11:11

EAST SEARCH UPDATED 11/03

-	177	(detector or photod\$6) same channel same (upper or lower) near2 limit	USPAT; US-PGPUB; DERWENT	2003/02/13 11:12
-	11	((detector or photod\$6) same channel same (upper or lower) near2 limit) and microscope	USPAT; US-PGPUB; DERWENT	2003/02/13 13:19
-	177	((detector or photod\$6) same channel same (upper or lower) near2 limit)	USPAT; US-PGPUB; DERWENT	2003/02/13 13:46
-	52	((detector or photod\$6) same channel same (upper or lower) near2 limit)) and (change or switch or off) near5 channel	USPAT; US-PGPUB; DERWENT	2003/02/13 13:20
-	7638	(detector or photod\$6) same (saturation or overload\$3)	USPAT; US-PGPUB; DERWENT	2003/02/13 13:50
-	3463	((detector or photod\$6) same (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)	USPAT; US-PGPUB; DERWENT	2003/02/13 13:51
-	260	((detector or photod\$6) same (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)) and fluoresc\$5	USPAT; US-PGPUB; DERWENT	2003/02/13 13:51
-	2409	(detector or photod\$6) near4 (saturation or overload\$3)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:06
-	1050	((detector or photod\$6) near4 (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:07
-	95	((detector or photod\$6) near4 (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)) and fluoresc\$5	USPAT; US-PGPUB; DERWENT	2003/02/13 13:54
-	15	((detector or photod\$6) near4 (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)) and fluoresc\$5) and microscope	USPAT; US-PGPUB; DERWENT	2003/02/13 13:51
-	256	((detector or photod\$6) near4 (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1)	USPAT; US-PGPUB; DERWENT	2003/02/13 13:54
-	19	((detector or photod\$6) near4 (saturation or overload\$3)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1)) and fluoresc\$5	USPAT; US-PGPUB; DERWENT	2003/02/13 13:54
-	208	((detector or photod\$6) near4 (saturation or overload\$3)) and (upper or lower) near (limit or threshold)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:07
-	124	((detector or photod\$6) near4 (saturation or overload\$3)) and (upper or lower) near (limit or threshold)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:07
-	20	((detector or photod\$6) near4 (saturation or overload\$3)) and (upper or lower) near (limit or threshold)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)) and (microscope or fluoresc\$)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:08
-	20	((detector or photod\$6) near4 (saturation or overload\$3)) and (upper or lower) near (limit or threshold)) and (detector or photod\$6 or channel) near2 (switch\$2 or change\$1 or signal)) and (microscope or fluoresc\$6)	USPAT; US-PGPUB; DERWENT	2003/02/13 14:30
-	5	5880954.URPN.	USPAT	2003/02/13 14:28

18	("3987283" "4075961" "4650990" "4724505" "4818866" "4821201" "4988983" "5000692" "5015840" "5149921" "5218196" "5245178" "5302942" "5415053" "5490081" "5492022" "5515266" "5559664").PN.	USPAT	2003/02/13 14:29
1974	((356/\$) or (250/\$) or (73/\$)).CCLS.) and (detector or photod\$6) near2 (saturation or overload or threshold)	USPAT; US-PGPUB; DERWENT	2003/02/13 15:23
327	((356/\$) or (250/\$) or (73/\$)).CCLS.) and (detector or photod\$6) near2 (saturation or overload or threshold)) and (upper or lower) near2 (threshold or limit)	USPAT; US-PGPUB; DERWENT	2003/02/13 15:23
65	((356/\$) or (250/\$) or (73/\$)).CCLS.) and (detector or photod\$6) near2 (saturation or overload or threshold)) and (upper or lower) near2 (threshold or limit)) and (detector or photod\$6) near2 array	USPAT; US-PGPUB; DERWENT	2003/02/13 14:34
746	(detector or photod\$6) near2 (saturation or overload or threshold)	EPO; JPO	2003/02/13 15:23
33	((detector or photod\$6) near2 (saturation or overload or threshold)) and (upper or lower) near2 (threshold or limit)	EPO; JPO	2003/02/13 16:37
17	pyyhtia near2 jouni	EPO; JPO	2003/02/13 16:40
21	pyyhtia near2 jouni	USPAT; US-PGPUB; DERWENT	2003/02/14 09:39
41738	("356").CLAS.	USPAT; US-PGPUB; DERWENT	2003/02/14 09:40
2	((356/\$).CCLS.) and laser near scanning near microscope and (grating or prism or grism) and microtiter and (parallel or pointwise) near2 (illumination or detection)	USPAT; US-PGPUB; DERWENT	2003/02/14 09:47
2	((356/\$).CCLS.) and laser near scanning near microscope and (grating or prism or grism or dispers\$4) and (parallel or pointwise) near2 (detection or illumination) and microtiter	USPAT; US-PGPUB; DERWENT	2003/02/14 09:48
35	((356/\$).CCLS.) and laser near scanning near microscope and (grating or prism or grism or dispers\$4) and (parallel or pointwise)	USPAT; US-PGPUB; DERWENT	2003/02/14 09:49
83	((356/\$).CCLS.) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 09:49
108	((356/\$).CCLS.) and laser near2 scanning near2 microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 09:49
4	((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or parallel) near (illumination or detection)	USPAT; US-PGPUB; DERWENT	2003/02/14 09:56
67	((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or parallel)	USPAT; US-PGPUB; DERWENT	2003/02/14 09:59
67	((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel)	USPAT; US-PGPUB; DERWENT	2003/02/14 10:14
3	((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel)) and microtiter	USPAT; US-PGPUB; DERWENT	2003/02/14 10:01
47	((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel)) and (dispers\$4 or grating or prism or grism)	USPAT; US-PGPUB; DERWENT	2003/02/14 10:14

-	20	(((((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel)) and (dispers\$4 or grating or prism or grism)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:14
-	5	(((((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel near3 illumination)) and (dispers\$4 or grating or prism or grism)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:20
-	3	(((((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel near3 illumination)) and (dispers\$4 or grating or prism or grism)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:14
-	3	(((((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel near3 illumination)) and (dispers\$4 or grating or prism or grism)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:17
-	5	(((((356/\$).CCLS.) and laser near2 scanning near2 microscope) and (pointwise or scan\$4 and parallel near3 illumination)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:17
-	200	(((((356/\$).CCLS.) and (pointwise or scan\$4 and parallel near3 illumination)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 10:20
-	225	(((((356/\$).CCLS.) and (parallel near3 illumination)) and microtiter	USPAT; US-PGPUB; DERWENT	2003/02/14 10:25
-	4	(((((356/\$).CCLS.) and (parallel near3 illumination)) and microtiter) and ccd	USPAT; US-PGPUB; DERWENT	2003/02/14 10:21
-	4	(((((356/\$).CCLS.) and (parallel near3 illumination)) and microtiter) and ccd	USPAT; US-PGPUB; DERWENT	2003/02/14 10:21
-	4	(((((356/\$).CCLS.) and (parallel near3 illumination)) and microtiter) and ccd) and (dispers\$4 or grating or prism or grism)	USPAT; US-PGPUB; DERWENT	2003/02/14 11:19
-	0	(((((356/\$).CCLS.) and (pointwise near3 illumination)) and microtiter and (prism or grism or grating)) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 10:26
-	38	(((((356/\$).CCLS.) and (scan\$4) and microtiter and (prism or grism or grating)) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 10:27
-	3	(((((356/\$).CCLS.) and (scan\$4) and microtiter and (prism or grism or grating)) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 11:37
-	26	(((((356/\$).CCLS.) and (scan\$4) and microtiter and (prism or grism or grating)) and ccd	USPAT; US-PGPUB; DERWENT	2003/02/14 10:27
-	77	(((((356/\$).CCLS.) and point\$ and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 11:20
-	30	(((((356/\$).CCLS.) and point\$ and laser near scanning near microscope) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/14 11:20
-	83	(((((356/\$).CCLS.) and laser near scanning near microscope	USPAT; US-PGPUB; DERWENT	2003/02/14 11:38
-	33	(((((356/\$).CCLS.) and laser near scanning near microscope) and ccd	USPAT; US-PGPUB; DERWENT	2003/02/14 11:43
-	31	(((((356/\$).CCLS.) and laser near scanning near microscope) and ccd) and (point or spot)	USPAT; US-PGPUB; DERWENT	2003/02/14 11:43
-	24	(((((356/\$).CCLS.) and laser near scanning near microscope) and ccd) and (point or spot) same (sample or specimen)	USPAT; US-PGPUB; DERWENT	2003/02/14 11:43
-	206798	((("356") or ("250") or ("73")).CLAS.	USPAT; US-PGPUB; DERWENT	2003/02/19 10:04

-	787	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illuminat\$3	USPAT; US-PGPUB; DERWENT	2003/02/19 10:05
-	347	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illumination	USPAT; US-PGPUB; DERWENT	2003/02/19 10:05
-	133	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illumination) and (grating or prism or grism)	USPAT; US-PGPUB; DERWENT	2003/02/19 10:08
-	55	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illumination) and (grating or prism or grism)) and CCD	USPAT; US-PGPUB; DERWENT	2003/02/19 10:08
-	137	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illumination) and (grating or prism or grism or dispersi\$3 near element)	USPAT; US-PGPUB; DERWENT	2003/02/19 10:08
-	58	((356/\$) or (250/\$) or (73/\$)).CCLS.) and parallel near3 illumination) and (grating or prism or grism or dispersi\$3 near element)) and CCD	USPAT; US-PGPUB; DERWENT	2003/09/17 14:39